



Dok-Tek Systems Ltd.

Tel: [+44] 01 179 145 510

D7D Avondale Works, Woodland Way, Bristol. England. UK (GB). BS15 1PA

Fax: [+44] 01 179 145 103

Web: www.dok-tek.co.uk / e-mail: main.doktek@gmail.com

Text & Numbers Signs Guide (Standard Jigs)

Le texte et le Guide de Signes de Nombres (les Gignes Standard)	Text und Zahl-Zeichen-Führer (Standardbohrvorrichtungen)	Texto y Guía de Signos de Números (Gigas Estándares)
Testo e numeri segni guida. (maschere Standard)	Tekst en getallen tekenen Guide (standaard mallen)	Tekst i liczby znaków Przewodnik (standardowych przyrządów)

<p>150 Signal Light</p>  <p>Text Field Size = 160mm x 160mm <i>Note restriction caused by moulding curve in corners</i></p>	<p>400 SERIES</p>  <p>Text Field Size = 405mm x 405mm <i>Note restriction caused by moulding curve in corners</i></p>	<p>A Size Signs (A0, A1, A2, A3)</p>  <p>Text Field Size = A0 = 1120mm x 780mm A1 = 780 mm x 535mm A2 = 535mm x 360mm <i>Sign may be made as portrait or landscape.</i></p>
---	---	--

Example Text Size "SAFETY" 113mm Charcters

Character	S	A	F	E	T	Y	Total
Jig Width	90mm	90mm	90mm	90mm	90mm	102mm	552mm
# LED's	22	29	90	26	16	16	199 LED's

149mm Characters (13 LED High)

Character	A	B	C	D	E	F	G	H	I	J
Jig Width	96mm	102mm	96mm	102mm	96mm	96mm	96mm	96mm	36mm	96mm
# LED's	33	37	33	34	28	22	29	30	13	19

Character	K	L	M	N	O	P	Q	R	S	T
Jig Width	96mm	96mm	120mm	108mm	96mm	96mm	96mm	96mm	96mm	96mm
# LED's	27	18	40	39	30	26	35	32	26	19

Character	U	V	W	X	Y	Z				
Jig Width	96mm	120mm	162mm	120mm	120mm	84mm				
# LED's	28	26	38	25	19	21				

Character	1	2	3	4	5	6	7	8	9	0
Jig Width	72mm	96mm	96mm	108mm	96mm	96mm	96mm	96mm	96mm	96mm
# LED's	18	25	25	22	26	31	18 (20)	35	31	30

113mm Characters (11 LED High)

Character	A	B	C	D	E	F	G	H	I	J
Jig Width	96mm	102mm	96mm	102mm	96mm	96mm	96mm	96mm	36mm	
# LED's	33	37	33	34	28	22	29	30	13	

Character	K	L	M	N	O	P	Q	R	S	T
Jig Width	96mm	96mm	120mm	108mm	96mm	96mm	96mm	96mm	96mm	96mm
# LED's	27	18	40	39	30	26	35	32	26	19

Character	U	V	W	X	Y	Z				
Jig Width	96mm	120mm	162mm	120mm	120mm	84mm				
# LED's	28	26	38	25	19	21				

Character	1	2	3	4	5	6	7	8	9	0
Jig Width	72mm	96mm	96mm	108mm	96mm	96mm	96mm	96mm	96mm	96mm
# LED's	18	25	25	22	26	31	18 (20)	35	31	30

79mm Characters (7 LED High)

Character	A	B	C	D	E	F	G	H	I	J
Jig Width	72mm	78mm	72mm	78mm	72mm	72mm	72mm	72mm	24mm	72mm
# LED's	18	22	15	20	19	14	19	17	7	13

Character	K	L	M	N	O	P	Q	R	S	T
Jig Width	72mm	72mm	84mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm
# LED's	15	11	22	20	18	16	21	19	17	11

Character	U	V	W	X	Y	Z				
Jig Width	72mm	72mm	120mm	84mm	84mm	72mm				
# LED's	15	13	23	13	12	17				

Character	1	2	3	4	5	6	7	8	9	0
Jig Width	48mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm	72mm
# LED's	8	17	16	13	18	19	17 (19)	21	19	18

Loadings per 10 LED's

TLED Colour / Couleur / Farbe. Colore. Color.		R	G	B	W
V / W / mA		Red / Rouge / Rot / Rosso / Rojo / Vermelho	Green / Vert / Grün / Verde	Blue	White
Per 10	CR24vDC (± 3v)	1.03W (0.043A)	0.79W (0.033A)	1.04W (0.044A)	0.8W (0.034A)
	CR12vDC (± 1.5v)	0.99W (0.083A)	0.857W (0.070A)		



Dok-Tek Systems Ltd.

Tel: [+44] 01 179 145 510

D7D Avondale Works, Woodland Way, Bristol. England. UK (GB). BS15 1PA

Fax: [+44] 01 179 145 103

Web: www.dok-tek.co.uk / e-mail: main.doktek@gmail.com